

# Lancer Evolution X Group N FIA Homologated Parts List 2008

Gr.No.	E10			Tarmac	Gravel	Parts Name	QTY/1Car	Parts No	Remarks
<b>ENGINE GROUP</b>									
11-510	o			⊙	⊙	E/G MOUNT BRACKET ASSY	1	RA033292S1	LIGHTWEIGHT TYPE ALLOY
11-510	o			⊙	⊙	T/M MOUNT BRACKET ASSY	1	RA033722S1	LIGHTWEIGHT TYPE ALLOY
11-510	o			•	•	INSULATOR,E/G ROLL (FRONT)	1	RA184354K1	RUBBER HARDNESS=Hs80°
11-510	o			•	•	INSULATOR,E/G ROLL (REAR)	1	RA554855K1	RUBBER HARDNESS=Hs80°
11-510	o			•	•	INSULATOR,E/G & T/M MOUNT	2	RA171989K1	RUBBER HARDNESS=Hs80°
<b>LUBRICATION GROUP</b>									
12-110	o			•	•	OIL FILTER	1	RAY57016	NEODYMIUM MAGNET TYPE
<b>COOLING GROUP</b>									
14-010	o			•	•	BUSHING,RADIATOR SUPPORT UPPER	2	MR597328(MMC)	MMC GENUINE PARTS (RUBBER HARDNESS=Hs80°)
14-010	o			•	•	BUSHING,RADIATOR SUPPORT LOWER	2	RA605173K1	RUBBER HARDNESS=Hs80°
14-010	o			•	•	RADIATOR CAP(BLACK)	1	RA431454N2	P=127KPa(1.3kgf/mm2)
14-010	o			•	•	RADIATOR CAP(RED)	1	RA431454N3	P=127KPa(1.3kgf/mm2)
14-120	o			•	•	THERMOSTAT	1	RA130548N1	76°C,HIGH FLOW TYPE(10%UP)
<b>INTAKE &amp; EXHAUST GROUP</b>									
15-010	o			•	•	AIR FILTER	1	RA150023S1	COTTON PAPER TYPE
15-010	o			⊙	⊙	AIR SUCTION PIPE SET	1	RA150132N1	ALUMINUM PIPE & HOSE SET (USE WITH RESTRICTOR)
15-410	o			•	•	AIR RESTRICTOR φ32	1	RA151182N1	WITHOUT COMPRESSOR HOUSING
15-510	o			•	•	TYPE	1	RA431634K1	RUBBER HARDNESS=Hs80°
15-510	o			•	•	HANGER,EXHAUST MUFFLER (B) X-TYPE	1	RA529551K1	RUBBER HARDNESS=Hs80°
15-510	o			•	•	HANGER,EXHAUST MUFFLER (D) ⊙-TYPE	2	RA651790K1	RUBBER HARDNESS=Hs80°
15-510	o			•	•	EXHAUST STRAIGHT PIPE KIT	1	RA157937S1	STAINLESS(φ65,T=1.5),PIPE SET(INSTEAD OF CATALYZER/CENTER/TAIL)
15-510	o			•	•	REAR BUMPER HEAT PROTECTOR	1	RA641681S1	STAINLESS

ENGINE ELECTRICAL GROUP									
16-220	○			●	●	RACING SPARK PLUG (2/SET) HEAT #10	2	RA20165N10	PLATINUM + IRIIDIUM
CLUTCH GROUP									
21-010	○			◎	◎	CLUTCH COVER ASSY	1	RA980846K1	PRESSURE=12200N,T=8
21-010	○			●	●	CLUTCH DISC -Gr-N -ALCON	1	TKDC956630X003	φ240 SPLINE= 1"x23
21-010	○			●	●	CLUTCH DISC	1	RA567361K1	METAL FACING,φ240,T=8
DRIVE TRAIN GROUP									
22-120	○			◎	◎	FRONT LSD KIT FOR ACD	1	RA857885S1	MECHANICAL TYPE 50°/0°-40°/0°
22-120	○			●	●	BEARING SET(FOR FRONT LSD)	1	RA317750S1	FOR Fr.LSD ASSEMBLY BEARING SET
22-120	○			●	●	SPACER SET(FOR Fr.LSD BEARING LH)	1	RA315850S1	28pcs SET(t=0.53◎1.34mm/each 0.03)
22-120	○			●	●	SPACER SET(FOR Fr.LSD BEARING RH)	1	RA314750S1	28pcs SET(t=0.53◎1.34mm/each 0.03)
24-110	○			●	●	TRANSFER O/H KIT	1	RA315750S1	OIL SEAL/O-RING SET
24-110	○			●	●	ACD CLUTCH ASSY FOR TRANSFER	1	RA310050S1	SERVICE PARTS
27-220	○			◎	◎	REAR LSD ASSY	1	RA166619K1	MECHANICAL TYPE 55°/55°-55°/35°
54-610	○			●		ACD ECU FOR AYC LESS CAR	1	RA863234T1	FOR TARMAC
54-610	○			●		ACD ECU FOR AYC LESS CAR	1	RA863234G1	FOR GRAVEL
22-200	○			●	●	ALUMINUM SHIFT KNOB	1	RAY62005	ALUMINUM FOR 6T/M & 5T/M
22-200	○			●	●	SHIFT KNOB	1	RAY62008W	POLYACETAL(WHITE) FOR 5T/M
22-200	○			●	●	SHIFT KNOB	1	RAY62008B	POLYACETAL(BLACK) FOR 5T/M
FRONT SUSPENSION GROUP									
33-110	○			◎	◎	FRONT TOP MOUNT PLATE KIT LH	1	RA406134S1	PLATE & SPHERICAL BEARING ASSY
33-110	○			◎	◎	FRONT TOP MOUNT PLATE KIT RH	1	RA406134S2	PLATE & SPHERICAL BEARING ASSY
33-110	○			●	●	<SERVICE PARTS>SPHERICAL BEARING	2	MBWT22	Bore Dia=22mm ,Misalignment=6°
33-110	○			●	●	<SERVICE PARTS>LOCK NUT ADAPTOR	1	RASST301N1	SPECIAL TOOL FOR LOCK NUT
33-110	○			●	●	INSULATOR,FRONT STRUT	2	4060A134(MMC)	MMC GENUINE PARTS (RUBBER HARDNESS=Hs80°)
33-050	○			●	●	BUSHING,FRONT LOWER ARM (FRONT)	2	RA554817K1	RUBBER HARDNESS=Hs80°
33-050	○			●	●	(REAR)	2	RA401121K1	RUBBER HARDNESS=Hs80°
33-110	○			●	●	BUSHING,FRONT STABILIZER BAR φ25	2	RA554095K1	RUBBER HARDNESS=Hs80° φ25
33-110	○			◎		FRONT STABILIZER BAR φ27	1	RA45612N27	φ27
33-110	○			◎		FRONT STABILIZER BAR φ23	1	RA45612N23	φ23

REAR SUSPENSION GROUP									
34-010	○			●	●	BUSHING,REAR SHOCK UPPER (A)	2	RA554369K1	RUBBER HARDNESS=Hs80°
34-010	○			●	●	BUSHING,REAR SHOCK UPPER (B)	2	RA554370K1	RUBBER HARDNESS=Hs80°
34-010	○			●	●	PAD,REAR SPRING UPPER	2	RA809280K1	RUBBER HARDNESS=Hs80°
34-010	○			●	●	BUSHING,REAR UPPER ARM (BODY SIDE,FR)	2	RA554817K1	RUBBER HARDNESS=Hs80°
34-010	○			●	●	SIDE,RR	2	RA411056K1	RUBBER HARDNESS=Hs80°
34-010	○			●	●	PILLOW BUSHING,REAR TRAILING ARM	2	RA411056K1	RUBBER HARDNESS=Hs80°
34-010	○			●	●	BUSHING,REAR STABILIZER BAR φ23	2	RA415633K1	RUBBER HARDNESS=Hs80° φ23
34-010	○			◎		REAR STABILIZER BAR φ27	1	RA41562N27	φ27
34-010	○			◎		REAR STABILIZER BAR φ25	1	RA41562N25	φ25
34-010	○			●	●	INSULATOR,REAR DIFF SUPPORT	2	RA369384K1	RUBBER HARDNESS=Hs80°
34-010	○			●	●	BUSHING,REAR CROSSMEMBER	1	RA351725K1	RUBBER HARDNESS=Hs80°
BRAKE GROUP									
35-030	○			◎	◎	SIDE BRAKE LEVER (HANDBRAKE) KIT	1	RA626779N1	LEVER & RODEND(M10x1.5mm) SET, USE WITH MASTER CYLINDER
35-030	○			◎	◎	SIDE BRAKE MASTER CYLINDER	1	RA481549N1	TANDEM PISTON,φ16mm
35-030	○			◎	◎	SIDE BRAKE MASTER CYLINDER	1	RA481549N2	TANDEM PISTON,φ17mm
35-030	○			◎	◎	SIDE BRAKE MASTER CYLINDER	1	RA481549N3	TANDEM PISTON,φ18mm
35-110	○			◎		FRONT BRAKE KIT(TARMAC)	1	RA465563S1	4-POT CALLIPER,BRKT,φ355 DISC,BOLT SET
35-110	○			◎		FRONT BRAKE KIT(GRAVEL)	1	RA249964S1	4-POT CALLIPER,BRKT,φ300 DISC,BOLT SET
35-160	○			◎	◎	REAR BRAKE KIT(TARMAC/GRAVEL)	1	RA465575S1	4-POT CALLIPER,BRKT,φ295 DISC,BOLT SET
35-230	○			◎	◎	BRAKE BOOSTER ADAPTER & PUSH ROD	1	RA033289S1	ALUMINUM
35-610	○			●	●	PEDAL KIT (5M/T)	1	RAY68005T	REAL TITANIUM, BOLT ON TYPE
GUARD/OTHER GROUP									
70-010	○			◎	◎	ROOF AIR VENT KIT	1	RA592320S1	FRP,4-CIRCULAR AIR VENTS
70-010	○			●	●	UNDER GUARD	1	RACZ4402R1	ALUMINUM
70-010	○			●	●	TANK GUARD FOR STANDARD TANK	1	RACZ4403R1	ALUMINUM
70-010	○			●	●	DIFF. GUARD	1	RACT9404R1	ALUMINUM
70-010	○			●	●	UNDER FLOOR GUARD	1	RACZ4405R1	ALUMINUM
70-010	○			●	●	PROPELLER SHAFT GUARD	1	RACZ4408R1	ALUMINUM
70-010	○			●	●	TOWER BAR,FRONT STRUT	1	RACZ4406R1	ALUMINUM
70-010	○			●	●	REAR HEAT BUMPER PROTECTOR	1	RA641681S1	STAINLESS
70-010	○			●	●	MUD FLAP SET -RED	1	RACZ4410R1	URETHANE PANEL